

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Cuproten SA
- · Application of the substance / the mixture Pickling solution
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

CIS Pharma AG Hauptstrasse 159 4416 Bubendorf

Schweiz

Tel. +41 (0) 61 935 5323 Fax. +41 (0) 61 931 2717

Qualified Person: Dr. Christian Geraths; christian.geraths@cis-pharma.com

1.4 Emergency telephone number:

Swiss Toxicological Information Centre

CH-8030 Zürich

Tel.: 0041 44 251 51 51 National emergency call: 145

www.toxinfo.ch

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Phosphoric acid, techn. hydrogen chloride

zinc chloride

· Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

H318 Causes serious eye damage.

(Contd. of page 1)

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label). P321

Dispose of contents/container in accordance with local/regional/national/ P501

international regulations.

· Additional information:

Contains but-2-yne-1,4-diol, triisobutyl phosphate. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture: consisting of the following components.

Dangerous components:

CAS: 7664-38-2 EINECS: 231-633-2	Phosphoric acid, techn. Skin Corr. 1B, H314	2.5-10%
CAS: 7647-01-0	hydrogen chloride Skin Corr. 1B, H314; STOT SE 3, H335	≤5%
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	≤5%
CAS: 7646-85-7	zinc chloride Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	≤ 2.5%
CAS: 110-65-6 EINECS: 203-788-6	but-2-yne-1,4-diol Acute Tox. 3, H301; Acute Tox. 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Acute Tox. 4, H312; Skin Sens. 1, H317	≤ 2.5%
CAS: 126-71-6 EINECS: 204-798-3	triisobutyl phosphate Skin Sens. 1, H317	$\leq 2.5\%$

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Additional information: For the wording of the listed hazard phrases refer to section 16.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

7664-38-2 Phosphoric acid, techn.

WEL (Great Britain) Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

PEL (USA) Long-term value: 1 mg/m³
REL (USA) Short-term value: 3 mg/m³

Long-term value: 1 mg/m³

TLV (USA) Short-term value: 3 mg/m³

Long-term value: 1 mg/m³

MAK (Switzerland) Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

SSc;

(Contd. on page 4)

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

(Contd. of page 3)

7647-01-0 hydrogen chloride

WEL (Great Britain) Short-term value: 8 mg/m³, 5 ppm

Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

PEL (USA) Ceiling limit: 7 mg/m³, 5 ppm
REL (USA) Ceiling limit: 7 mg/m³, 5 ppm
TLV (USA) Ceiling limit: 2.98 mg/m³, 2 ppm
MAK (Switzerland) Short-term value: 6 mg/m³, 4 ppm

Long-term value: 3 mg/m³, 2 ppm

SSc;

112-34-5 2-(2-butoxyethoxy)ethanol

WEL (Great Britain) Short-term value: 101.2 mg/m³, 15 ppm

Long-term value: 67.5 mg/m³, 10 ppm

TLV (USA) Long-term value: 67.5* mg/m³, 10* ppm

*Inhalable fraction and vapor

MAK (Switzerland) Short-term value: 101 mg/m³, 15 ppm

Long-term value: 67 mg/m³, 10 ppm

SSc;

7646-85-7 zinc chloride

WEL (Great Britain) Short-term value: 2 mg/m3

Long-term value: 1 mg/m³

PEL (USA) Long-term value: 1 mg/m³

Fume

REL (USA) Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

TLV (USA) Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

ume

MAK (Switzerland) Long-term value: 1 a mg/m³

(Rauch)

110-65-6 but-2-yne-1,4-diol

MAK (Switzerland) Short-term value: 0.36 mg/m³, 0.1 ppm

Long-term value: 0.36 mg/m³, 0.1 ppm

H S SSc;

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value at 20 °C:

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 $^{\circ}\text{C}$

· Flash point: >100 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· Vapour pressure at 20 °C: 23 hPa

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.
 water: Fully miscible.
 Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

(Contd. on page 6)

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

9.2 Other information

(Contd. of page 5)

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

7646-85-7 zinc chloride

Oral LD50 350 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- Other information:

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them at their direct request or at the request of a detergent manufacturer.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

(Contd. on page 7)

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

(Contd. of page 6)

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA UN3264

· 14.2 UN proper shipping name

· **ADR** 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC

ACID, SOLUTION)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC

ACID, SOLUTION)

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Danger code (Kemler):
EMS Number:
Segregation groups
Stowage Category

80
F-A,S-B
Acids
A

• **Stowage Code** SW2 Clear of living quarters.

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category

(Contd. on page 8)

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

(Contd. of page 7) · Tunnel restriction code Ε · Limited quantities (LQ) 5L Code: E1 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I hydrogen chloride
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- · National regulations:
- · Waterhazard class (Germany): Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 9)

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2016 Version number 1 Revision: 19.12.2016

Trade name: Cuproten SA

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

(Contd. of page 8)